



U-SERIES

PREMIUM CITY BUS



SPECIFICATIONS

	U10	U12 (Low entry)	U12 (Low floor)	U13	U15	U18
Basic parameters						
L (mm)	10970	12170	12170	12970	14950	18720
W (mm)	2550	2550	2550	2550	2550	2550
H (mm)	3390	3390	3190	3390	3390	3200
Wheelbase	5400	6000	6000	6800	7150+1600	5900+6650
Tire	275/70R22.5	275/70R22.5	275/70R22.5	305/70R22.5	275/70R22.5	275/70R22.5
Max speed	80	80	80	80	80	70
Max number of seats	up to 33	up to 38	up to 41	up to 45	up to 57	up to 45
Max passenger capacity	up to 80	up to 70	up to 70	up to 61	up to 90	up to 125
Max manufacturer's total mass (kg)	19500	19500	19500	19500	25500	30000
Front/middle/rear axle (kg)	7700/11800	7700/11800	7700/11800	7700/11800	7700/11500/6300	7700/10800/11500
Floor type	Low entry	Low entry	Low floor	Low entry	Low entry	Low floor
Electric powertrain						
Traction battery (kWh)	up to 352.08	up to 465.99	up to 528.13	up to 465.99	up to 662.75	up to 621.33
Single plug	○	○	○	○	○	○
Dual-plug	●	●	●	●	●	●
Charging power (150kW)	●	●	●	●	●	●
Charging power (300kW)	○	○	○	○	○	○
Emergency Assist for Pedal Misapplication (EAPM)	●	●	●	●	●	●
Intelligent power control	●	●	●	●	●	●
Seat						
Passenger seat (plus)	●	●	●	●	●	●
3-point belt passenger seat	○	○	○	○	○	○
Wheelchair area	●	●	●	●	●	●
Yutong standard driver seat	●	●	●	●	●	●
Yutong electric driver seat	○	○	○	○	○	○
ISRI driver seat	○	○	○	○	○	○
Interior						
Driver partition	●	●	●	●	●	●
Wheelchair ramp	●	●	●	●	●	●
Roof hatch	○	○	○	○	○	○
Exterior						
Passenger door	2-2-0	2-2-0	● 2-2-0 ○ 2-2-2	2-2-0	● 2-2-0 ○ 2-2-1	● 2-2-2-2 ○ 2-2-2-0
Insulated side window glass	●	●	●	●	●	●
Manual driver window	●	●	●	●	●	●
Power driver window	○	○	○	○	○	○
Standard front windshield glass	●	●	●	●	●	●
Electric heating front windshield	○	○	○	○	○	○
Climate control system						
Heating and cooling	●	●	●	●	●	●
Heating system	●	●	●	●	●	●
Cooling/heating defroster	●	●	●	●	●	●

	U10	U12 (Low entry)	U12 (Low floor)	U13	U15	U18
Chassis						
Front axle	ZF	ZF	ZF	ZF	ZF	ZF
Drive axle	ZF	ZF	ZF	ZF	ZF	ZF
Third axle	—	—	—	—	ZF	ZF
Air suspension	●	●	●	●	●	●
ECAS	●	●	●	●	●	●
Steering wheel position	LHD	LHD	LHD	LHD	LHD	LHD
EPB	●	●	●	●	●	●
Safety and driver assistance system						
Electronic Braking System (EBS)	●	●	●	●	●	●
Electronic Stability Control (ESC) System	●	●	●	●	●	—
Collision Mitigation System (CMS)	○	○	○	○	○	○
Lane Departure Warning System (LDWS)	●	●	●	●	●	●
Intelligent Speed Assist (ISA)	●	●	●	●	●	●
Blind Spot Information System (BSIS)	●	●	●	●	●	●
Moving Off Information System (MOIS)	●	●	●	●	●	●
Driver Drowsiness and Attention Warning (DDAW)	●	●	●	●	●	●
Alcolock	●	●	●	●	●	●
Tire Pressure Monitoring System (TPMS)	●	●	●	●	●	●
360° panoramic view system	●	●	●	●	●	●
Electronic rear-view mirror	○	○	○	○	○	○
Reversing radar	●	●	●	●	●	●
Intelligent control wiper and headlamp	○	○	○	○	○	○
Audio-video entertainment and lighting						
Adjustable dashboard	●	●	●	●	●	●
Microphone	●	●	●	●	●	●
On-board Wi-Fi	○	○	○	○	○	○
Headlamp, LED	●	●	●	●	●	●

● Standard ○ Optional - N/A



Yutong Bus Co., Ltd.

Yutong Marketing Center, Economic and Technological Development Zone, Zhengzhou, China,

Tel: +86 371 6671 8999 Website: www.yutong.com E-mail: sales@yutong.com Follow us on Facebook & X & YouTube at Yutong Bus & Coach

The images may include items of optional equipment and accessories that are not installed as standard. The product is subject to technical improvement. Yutong reserves the right to change product specifications without prior notice. All rights reserved. April, 2025 Edition.